



**BEVERAGE-AIR®**



**BAR EQUIPMENT**









# BEVERAGE-AIR®

## BACK BAR AND DIRECT DRAW BAR EQUIPMENT

Beverage-Air is proud to announce the redesign and expansion of the Back Bar and Direct Draw bar equipment lines. This undertaking accomplished the goals of improving performance and serviceability by powering the units with a monobloc refrigeration system. This provides long-term reliability, and faster, more efficient maintenance.

Another goal achieved by this redesign was adding consistency and standardization with the sizing throughout the product lines. All units now have the same cabinet height that meets ADA requirements, and features a 1-inch stainless steel top.

The entire lineup of back bar and direct draws are available in regular depth as well as a shallow depth, ensuring there's a unit that'll fit any space or capacity need.



# BACK BAR COOLERS



BB48HC-G-B



BBN72HC-GS-S

**Galvanized steel interior with reinforced stainless steel floor**

**1" stainless steel top standard**

**ADA compliant 34" height**

**Full electronic control**

**Compressor standard on left side**

Right side compressor available (mention at time of order)

**LED lighting**

**Two epoxy coated shelves per section**

**Balanced, forced air refrigeration system provides rapid chilling of product**

**Uses environmentally friendly, energy efficient R290 refrigerant, and meets all regulatory requirements for CARB, SNAP, DOE & more**

**Adaptive defrost**

**Epoxy coated evaporator coil**

**7 year warranty parts, labor, and compressor**

## EXTERIOR FINISHES

- Black painted steel
- Stainless steel

## INTERIOR FINISHES

- Galvanized steel with reinforced stainless steel floor
- Stainless steel open-food rated

## AVAILABLE OPTIONS


- Right side compressor (specify at time of order)
- Stainless steel back
- Wine models available (40°-60°)
- Remote models available

## AVAILABLE ACCESSORIES

- Wire shelf divider
- Extra shelves/clips

## MOUNTING OPTIONS

- 6" casters
- 3" casters
- 6" legs




#### **SOLID DOORS (HINGED)**

- Self-closing doors with 120° stay-open feature
- Door locks standard
- Magnetic door gaskets provide positive door sealing



#### **GLASS DOORS (HINGED)**

- Self-closing doors with 120° stay-open feature
- Door locks standard
- Magnetic door gaskets provide positive door sealing



#### **GLASS DOORS (SLIDING)**

- Self-closing doors
- Stay-open feature
- Door locks standard
- Door gaskets provide positive door sealing
- Black door frame (regardless of exterior finish)



# BACK BAR COOLERS

Regular Depth Single Sided

## SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | BB36HC-B        | BB36HC-F-B              | 1/2            | 1                       | 384       | 216              | 36    | 30.38 | 34     | 115   | 1/4 | 3    | 10.16      | BLACK     |
|          | BB36HC-S        | BB36HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB48HC-B        | BB48HC-F-B              | 2/4            | 2                       | 576       | 336              | 48    | 30.38 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-S        | BB48HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB58HC-B        | BB58HC-F-B              | 2/4            | 2                       | 672       | 384              | 58    | 30.38 | 34     | 115   | 1/3 | 3.3  | 17.84      | BLACK     |
|          | BB58HC-S        | BB58HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB68HC-B        | BB68HC-F-B              | 2/4            | 3                       | 768       | 432              | 68    | 30.38 | 34     | 115   | 1/3 | 3.3  | 21.98      | BLACK     |
|          | BB68HC-S        | BB68HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-B        | BB72HC-F-B              | 3/6            | 3                       | 1,024     | 528              | 72    | 30.38 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-S        | BB72HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB78HC-B        | BB78HC-F-B              | 3/6            | 4                       | 1,024     | 528              | 78    | 30.38 | 34     | 115   | 1/3 | 3.3  | 26.13      | BLACK     |
|          | BB78HC-S        | BB78HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB94HC-B        | BB94HC-F-B              | 3/6            | 5                       | 1,152     | 648              | 94    | 30.38 | 34     | 115   | 1/3 | 3.3  | 32.77      | BLACK     |
|          | BB94HC-S        | BB94HC-F-S              |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.



BB72HC-GS-B

## GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | BB36HC-G-B      | BB36HC-FG-B             | 1/2            | 1                       | 384       | 216              | 36    | 30.38 | 34     | 115   | 1/4 | 3    | 10.16      | BLACK     |
|          | BB36HC-G-S      | BB36HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB48HC-G-B      | BB48HC-FG-B             | 2/4            | 2                       | 576       | 336              | 48    | 30.38 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-G-S      | BB48HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB58HC-G-B      | BB58HC-FG-B             | 2/4            | 2                       | 672       | 384              | 58    | 30.38 | 34     | 115   | 1/3 | 3.3  | 17.84      | BLACK     |
|          | BB58HC-G-S      | BB58HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB68HC-G-B      | BB68HC-FG-B             | 2/4            | 3                       | 768       | 432              | 68    | 30.38 | 34     | 115   | 1/3 | 3.3  | 21.98      | BLACK     |
|          | BB68HC-G-S      | BB68HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-G-B      | BB72HC-FG-B             | 3/6            | 3                       | 1,024     | 528              | 72    | 30.38 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-G-S      | BB72HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB78HC-G-B      | BB78HC-FG-B             | 3/6            | 4                       | 1,024     | 528              | 78    | 30.38 | 34     | 115   | 1/3 | 3.3  | 26.13      | BLACK     |
|          | BB78HC-G-S      | BB78HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB94HC-G-B      | BB94HC-FG-B             | 3/6            | 5                       | 1,152     | 648              | 94    | 30.38 | 34     | 115   | 1/3 | 3.3  | 32.77      | BLACK     |
|          | BB94HC-G-S      | BB94HC-FG-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BB48HC-GS-B     | BB48HC-F-GS-B           | 2/4            | 2                       | 576       | 336              | 48    | 29.25 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-GS-S     | BB48HC-F-GS-S           |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BB58HC-GS-B     | BB58HC-F-GS-B           | 2/4            | 2                       | 672       | 384              | 58    | 29.25 | 34     | 115   | 1/3 | 3.3  | 17.84      | BLACK     |
|          | BB58HC-GS-S     | BB58HC-F-GS-S           |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-GS-B     | BB72HC-F-GS-B           | 3/6            | 3                       | 1,024     | 528              | 72    | 29.25 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-GS-S     | BB72HC-F-GS-S           |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

# BACK BAR COOLERS

Regular Depth

Pass-Thru

## SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BB48HC-PT-B     | BB48HC-F-PT-B           | 4/4            | 2                       | 576       | 336              | 48    | 34.13 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-PT-S     | BB48HC-F-PT-S           |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-PT-B     | BB72HC-F-PT-B           | 6/6            | 3                       | 1,024     | 528              | 72    | 34.13 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-PT-S     | BB72HC-F-PT-S           |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BB48HC-G-PT-B   | BB48HC-FG-PT-B          | 4/4            | 2                       | 576       | 336              | 48    | 34.13 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-G-PT-S   | BB48HC-FG-PT-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-G-PT-B   | BB72HC-FG-PT-B          | 6/6            | 3                       | 1,024     | 528              | 72    | 34.13 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-G-PT-S   | BB72HC-FG-PT-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BB48HC-GS-PT-B  | BB48HC-F-GS-PT-B        | 4/4            | 2                       | 576       | 336              | 48    | 31.88 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | BB48HC-GS-PT-S  | BB48HC-F-GS-PT-S        |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BB72HC-GS-PT-B  | BB72HC-F-GS-PT-B        | 6/6            | 3                       | 1,024     | 528              | 72    | 31.88 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | BB72HC-GS-PT-S  | BB72HC-F-GS-PT-S        |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.





*BB48HC-G-PT-B*

# BACK BAR COOLERS

Shallow Depth

Single Sided

## SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | BBN36HC-B       | BBN36HC-F-B             | 1/2            | 1                       | 288       | 189              | 36    | 26.38 | 34     | 115   | 1/4 | 3    | 8.43       | BLACK     |
|          | BBN36HC-S       | BBN36HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN48HC-B       | BBN48HC-F-B             | 2/4            | 2                       | 432       | 264              | 48    | 26.38 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-S       | BBN48HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN58HC-B       | BBN58HC-F-B             | 2/4            | 2                       | 504       | 336              | 58    | 26.38 | 34     | 115   | 1/3 | 3.3  | 14.8       | BLACK     |
|          | BBN58HC-S       | BBN58HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN68HC-B       | BBN68HC-F-B             | 2/4            | 3                       | 576       | 378              | 68    | 26.38 | 34     | 115   | 1/3 | 3.3  | 18.24      | BLACK     |
|          | BBN68HC-S       | BBN68HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-B       | BBN72HC-F-B             | 3/6            | 3                       | 684       | 432              | 72    | 26.38 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-S       | BBN72HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN78HC-B       | BBN78HC-F-B             | 3/6            | 4                       | 684       | 432              | 78    | 26.38 | 34     | 115   | 1/3 | 3.3  | 21.69      | BLACK     |
|          | BBN78HC-S       | BBN78HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN94HC-B       | BBN94HC-F-B             | 3/6            | 4                       | 864       | 567              | 94    | 26.38 | 34     | 115   | 1/3 | 3.3  | 27.19      | BLACK     |
|          | BBN94HC-S       | BBN94HC-F-S             |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.



BBN58HC-G-B



## GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | BBN36HC-G-B     | BBN36HC-FG-B            | 1/2            | 1                       | 288       | 189              | 36    | 26.38 | 34     | 115   | 1/4 | 3    | 8.43       | BLACK     |
|          | BBN36HC-G-S     | BBN36HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN48HC-G-B     | BBN48HC-FG-B            | 2/4            | 2                       | 432       | 264              | 48    | 26.38 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-G-S     | BBN48HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN58HC-G-B     | BBN58HC-FG-B            | 2/4            | 2                       | 504       | 336              | 58    | 26.38 | 34     | 115   | 1/3 | 3.3  | 14.8       | BLACK     |
|          | BBN58HC-G-S     | BBN58HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN68HC-G-B     | BBN68HC-FG-B            | 2/4            | 3                       | 576       | 378              | 68    | 26.38 | 34     | 115   | 1/3 | 3.3  | 18.24      | BLACK     |
|          | BBN68HC-G-S     | BBN68HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-G-B     | BBN72HC-FG-B            | 3/6            | 3                       | 684       | 432              | 72    | 26.38 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-G-S     | BBN72HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN78HC-G-B     | BBN78HC-FG-B            | 3/6            | 4                       | 684       | 432              | 78    | 26.38 | 34     | 115   | 1/3 | 3.3  | 21.69      | BLACK     |
|          | BBN78HC-G-S     | BBN78HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN94HC-G-B     | BBN94HC-FG-B            | 3/6            | 4                       | 864       | 567              | 94    | 26.38 | 34     | 115   | 1/3 | 3.3  | 27.19      | BLACK     |
|          | BBN94HC-G-S     | BBN94HC-FG-S            |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BBN48HC-GS-B    | BBN48HC-F-GS-B          | 2/4            | 2                       | 432       | 264              | 48    | 25.25 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-GS-S    | BBN48HC-F-GS-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 2        | BBN58HC-GS-B    | BBN58HC-F-GS-B          | 2/4            | 2                       | 504       | 336              | 58    | 25.25 | 34     | 115   | 1/3 | 3.3  | 14.8       | BLACK     |
|          | BBN58HC-GS-S    | BBN58HC-F-GS-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-GS-B    | BBN72HC-F-GS-B          | 3/6            | 3                       | 684       | 432              | 72    | 25.25 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-GS-S    | BBN72HC-F-GS-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

# BACK BAR COOLERS

Shallow Depth

Pass-Thru

## SOLID DOORS

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BBN48HC-PT-B    | BBN48HC-F-PT-B          | 4/4            | 2                       | 432       | 264              | 48    | 30.13 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-PT-S    | BBN48HC-F-PT-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-PT-B    | BBN72HC-F-PT-B          | 6/6            | 3                       | 684       | 432              | 72    | 30.13 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-PT-S    | BBN72HC-F-PT-S          |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (HINGED)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BBN48HC-G-PT-B  | BBN48HC-FG-PT-B         | 4/4            | 2                       | 432       | 264              | 48    | 30.13 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-G-PT-S  | BBN48HC-FG-PT-S         |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-G-PT-B  | BBN72HC-FG-PT-B         | 6/6            | 3                       | 684       | 432              | 72    | 30.13 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-G-PT-S  | BBN72HC-FG-PT-S         |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.

## GLASS DOORS (SLIDING) (Door frame only comes in black)

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | REGULAR MODEL # | OPEN FOOD RATED MODEL # | DOORS/ SHELVES | # OF STRAIGHT WALL KEGS | 12oz CANS | LONGNECK BOTTLES | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------------|-------------------------|----------------|-------------------------|-----------|------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 2        | BBN48HC-GS-PT-B | BBN48HC-F-GS-PT-B       | 4/4            | 2                       | 432       | 264              | 48    | 27.88 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | BBN48HC-GS-PT-S | BBN48HC-F-GS-PT-S       |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |
| 3        | BBN72HC-GS-PT-B | BBN72HC-F-GS-PT-B       | 6/6            | 3                       | 684       | 432              | 72    | 27.88 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | BBN72HC-GS-PT-S | BBN72HC-F-GS-PT-S       |                |                         |           |                  |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles.






# DIRECT DRAWS



DD48HC-B



DDN72HC-S-12T

## REGULAR DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | MODEL #  | DOORS | # OF STRAIGHT WALL KEGS | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|----------|-------|-------------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | DD36HC-B | 1     | 1                       | 36    | 30.38 | 34     | 115   | 1/4 | 3    | 10.16      | BLACK     |
|          | DD36HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DD48HC-B | 2     | 2                       | 48    | 30.38 | 34     | 115   | 1/4 | 3    | 15.14      | BLACK     |
|          | DD48HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DD58HC-B | 2     | 2                       | 59    | 30.38 | 34     | 115   | 1/3 | 3.3  | 17.84      | BLACK     |
|          | DD58HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DD68HC-B | 2     | 3                       | 69    | 30.38 | 34     | 115   | 1/3 | 3.3  | 21.98      | BLACK     |
|          | DD68HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DD72HC-B | 3     | 3                       | 72    | 30.38 | 34     | 115   | 1/3 | 3.3  | 23.64      | BLACK     |
|          | DD72HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DD78HC-B | 3     | 4                       | 78    | 30.38 | 34     | 115   | 1/3 | 3.3  | 26.13      | BLACK     |
|          | DD78HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DD94HC-B | 3     | 5                       | 94    | 30.38 | 34     | 115   | 1/3 | 3.3  | 32.77      | BLACK     |
|          | DD94HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |

Depth measurement includes handles. Height measurement excludes tap height. Add average tap height of 15" for total unit height.

**Stainless steel top with drip tray**

**Galvanized steel interior liner  
with heavy duty stainless steel floor**

**Full electronic control**

**Drain hose located at the rear on compressor  
side for connection to floor drain**

**Self-closing doors with 120° stay-open feature**

**Door locks standard**

**Magnetic gasket attached to each door**  
for positive seal

**7 year warranty parts, labor, and compressor**

#### EXTERIOR FINISHES

- Black
- Stainless Steel

#### INTERIOR FINISHES

- Galvanized walls with reinforced stainless steel floor
- Stainless steel

#### MOUNTING OPTIONS

- 6" casters
- 3" casters
- 6" legs

#### AVAILABLE OPTIONS

*See spec sheet of specific model to confirm available options*

- Right side compressor (specify at time of order)
- Remote models available
- Glass doors
- Wine & coffee models
- Custom tower hole location
- Drip tray location
- Right or left hinged door
- Dual Tap Placement Option
- No Draft Arm with Hole Cover

#### AVAILABLE ACCESSORIES

- Wine Taps
- Faucet Locks
- Glass Rinser (does not fit Club Tops)
- 1-6 Insulated Stainless Towers/Taps
- 2, 3 & 4 way manifolds
- Optional 12 Tap Tower for DD & DDN 72, 78 & 94
- Club Top available on DD 58, & 68

## NARROW DEPTH

MAINTAINS PRODUCT TEMPERATURES OF 36-38°F.

| SECTIONS | MODEL #   | DOORS | # OF STRAIGHT WALL KEGS | WIDTH | DEPTH | HEIGHT | VOLTS | HP  | AMPS | CUBIC FEET | COLOR     |
|----------|-----------|-------|-------------------------|-------|-------|--------|-------|-----|------|------------|-----------|
| 1        | DDN36HC-B | 1     | 1                       | 36    | 26.38 | 34     | 115   | 1/4 | 3    | 8.43       | BLACK     |
|          | DDN36HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DDN48HC-B | 2     | 2                       | 48    | 26.38 | 34     | 115   | 1/4 | 3    | 12.56      | BLACK     |
|          | DDN48HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DDN58HC-B | 2     | 2                       | 59    | 26.38 | 34     | 115   | 1/3 | 3.3  | 14.8       | BLACK     |
|          | DDN58HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 2        | DDN68HC-B | 2     | 3                       | 69    | 26.38 | 34     | 115   | 1/3 | 3.3  | 18.24      | BLACK     |
|          | DDN68HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DDN72HC-B | 3     | 3                       | 72    | 26.38 | 34     | 115   | 1/3 | 3.3  | 19.62      | BLACK     |
|          | DDN72HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DDN78HC-B | 3     | 4                       | 78    | 26.38 | 34     | 115   | 1/3 | 3.3  | 21.69      | BLACK     |
|          | DDN78HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |
| 3        | DDN94HC-B | 3     | 5                       | 94    | 26.38 | 34     | 115   | 1/3 | 3.3  | 27.19      | BLACK     |
|          | DDN94HC-S |       |                         |       |       |        |       |     |      |            | STAINLESS |

*Depth measurement includes handles. Height measurement excludes tap height. Add average tap height of 15" for total unit height.*

# COMPLETE LINE OF BAR EQUIPMENT

In addition to our redesigned back bars and direct draws  
we offer a full range of bar equipment



**COMPACT / MOBILE**



**BOTTLE COOLERS**



**GLASS & PLATE CHILLERS**

BAR-20251104

**BEVERAGE-AIR®**

**888-845-9800 BEVERAGE-AIR.COM**

 **WELBILT®**  
an Ali Group Company