

BEVERACE-AR

BEVERAGE-AIR

SCHOOLS

BEVERAGE-AIR

WIDE RANGE OF R

MARKETEER[®]



- Double pane, lowE argon-filled glass doors
- LED lighting creates dynamic product presentation
- Electronic temperature control
- Energy efficient and environmentally friendly
- R290 & R600 refrigerant
- DOE 2017 compliant & Energy Star 4.0 rated
- Self-closing hinged doors with mechanical locks, standard
- 1 & 2 door models available in Black or White finish options
- Sliding glass doors available on select units



- Double pane, lowE argon-filled glass doors (Freezers have triple pane)
- Field-reversible doors (refrigerator & swing doors only)
- Self-closing doors
- 120° stay open feature
- LED lighting creates dynamic product presentation
- Brightly lit sign panel
- Custom door decals and signage available
- Full electronic temperature control
- Energy efficient and environmentally friendly R290 refrigerant
- 5 epoxy coated wire shelves per section
- 1, 2 & 3 door model options available
- Sliding glass doors available on select units

CROSS TEMP®

Easily converts from refrigerator to freezer



- Variable speed compressor technology achieves 30% more energy efficiency compared to a single-speed
- Temperature range of -15 to 40° F
- Modulates coil temp to achieve desired set point while achieving maximum energy efficiency
- Single cabinet configurable to all menu initiatives
- Intuitive compressor adjusts for optimal effectiveness in high-use situations
- Quicker pull-down for both air and product temperatures
- Smart-defrost

•

- Expansion valve
- Rapid-recovery after defrost consistent product temperature and ensures food quality
- Door locks standard on solid doors only (optional on glass door models)
- Featuring environmentally friendly energy efficient R290 refrigerant





- Full electronic Control with one-touch defrost
- Multiple finish options
- Door locks standard on Solid doors (optional on glass door models)
- · Field-reversible doors
- Cam-lift hinges with 120 degree stay-open feature
- LED lighting standard
- Back rack airflow distribution system
- Self-closing doors
- · 6" heavy duty casters standard
- 3" casters or 6" leg option available at no charge when specified on order
- Featuring environmentally friendly, energy efficient R290 refrigerant

EFRIGERATORS AND FREEZERS TO FIT SCHOOLS' NEEDS

VUEMAX



- Heavy duty steel exterior with a durable paint finish
- Glass sides enhance product visibility from side viewpoints
- Foamed in place CFC-free polyurethane insulation enhances the structural strength of the cabinet and increases energy efficiency
- LED lighting creates dynamic product presentation
- Shelving display flexibility
- Full electronic temperature control from 36° -40°F, with display
- Certified for bottled beverage & packaged foods
- Night curtain
- Stylish impact bumper



- Exterior finish is a heavy-duty steel with a durable, baked on black or white coating
- Curved design with open front & side shield to maximize product display
- Interior is white coated steel
- 2 recessed interior lights provide maximum product visibility
- 3 epoxy coated shelves
- Modern grille is easy to remove for cleaning or service
- Gravity-Flo organizer
- Holds unit temperature from 32°-40°F
- Certified for bottled beverage & packaged foods
- Brightly lit sign panel



SANDWICH PREP

- Full electronic control
- Reversible cutting boards 1/2" thick, 10" deep
- Locking divider bars .
- Heavy-duty aluminum pan liner • easy to clean and prevents spills from falling into cabinet while also . ensuring coldest air flows across bottom of pans
- Field reversible doors with 120 degree stay-open feature
- Two epoxy coated shelves per door section standard

- See-Thru Lid (STL) Models
- Snap-in door gaskets
- Accommodates up to 6" deep food service pans
- 4" deep 1/6 size polycarbonate pans are included (excludes -A models)
- Heavy duty insulated covers protect products and eliminates sweating when closed
- 6" heavy duty casters standard
- 3" casters or 6" leg option available at no charge when specified on order



BEVERAGE-AIR

Refrigeration industry leader in quality and customer satisfaction

Award-winning product innovation

Competitive pricing

Complete aftermarket services

YOUR COMPLETE REFRIGERATION SOURCE

888-845-9800 beverage-air.com

BREEZE™

MILK COOLERS MADE TO DELIVER CONSISTENT PERFORMACE DURING REPEATED ACCESS

Epoxy coated, steel wire racks included for added floor protection

Flexible compression door gaskets ensure a tight seal for added temperature control

Cylinder Locks

Bottom drain for connection to drain hose and easy cleaning

External digital thermometer

Coolers hold milk between 36°-38°F until ready to serve for maximum refreshment **Cabinet offers structural reinforcements** for increased strength and rigidity

Units shipped with casters installed for easy set up



for maximum milk crate support and made with stainless steel





S4P-20201008

an Ali Group Company

